SAFETY DATA SHEET



This Safety Data Sheet (SDS) complies with the requirements of the U.S. Federal Occupational Safety and Health Administration Hazard Communication Standard (29 CFR 1910.1200, as updated in 2012) and equivalent state Standards. It has also been developed in accordance with the United Nations Globally Harmonized System of Classification of Chemicals (GHS) and the Canadian Workplace Hazardous Materials Information System (WHMIS). Refer to Section 16 of this document for the definition of terms and abbreviations.

SECTION 1: IDENTIFICATION

1.1 PRODUCT IDENTIFIER:

- **ITEM NUMBER:**
- PRODUCT NAME:

870114, 88GEN206855GL

Limelite Lime & Scale Remover

GL: 870114 55 GL: 88GEN206855GL

1.2 RELEVANT IDENTIFIED USES OF THE MIXTURE OR USES ADVISED AGAINST

- **IDENTIFIED USE:**
- Scale and chemical deposit remover.
- **IDENTIFIED USERS:** For sale to, use and storage by service persons only.

1.3 DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET

- MANUFACTURER/ SUPPLIER:
- ADDRESS
- BUSINESS PHONE:

WAXIE Sanitary Supply

9353 Waxie Way; San Diego, CA 92123-1036

- 1-800-995-4466 1-800-255-3924 (CHEMTEL; 24 hours) **EMERGENCY PHONE:**

1.4 OTHER PERTINENT INFORMATION

This product is intended to be used only after dilution. The relevant hazard and safety data sheet are specified for both the **Product as SOLD** and **Product at USE DILUTION**, where appropriate.

SECTION 2: HAZARDS IDENTIFICATION

2.1 CLASSIFICATION OF THE SUBSTANCE OR MIXTURE:

OSHA/HCS Status

Classification of the Substance or Mixture

Product as SOLD

Corrosive to Metals (Category 1) Skin Corrosion/Irritation (Category 1B)

Product at USE DILUTION (< 10%)

Skin corrosion (Category 2); Serious eye damage (Category 2A)

2.2 LABEL ELEMENTS:

ELEMENT **Hazard Pictograms**

Signal Word **Hazard Statements**

Product as SOLD



DANGER Causes severe skin burns and eye damage. May be corrosive to metals

Product at USE DILUTION (<10%)



WARNING. Causes skin and serious eye irritation.

Limelite Lime & Scale Remover	WAXIE Sanitary Supply
Product AS SOLD and IN USE DILUTION	Page 1 of 12

SAFETY DATA SHEET February 22, 2016

SECTION 2: HAZARDS IDENTIFICATION (Continued)

2.2 LABEL ELEMENTS (Continued):			
ELEMENT	Product as SOLD	Product at USE DILUTION (<10%)	
Precautionary Statements			
Prevention	Keep out of reach of children. Do not breathe mists. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/protective clothing/eye protection/face protection.	Keep out of reach of children. Wash hands thoroughly after use. Wear eye protection/face protection/protective clothing/protective gloves.	
Response	Keep only in original container. IF SWALLOWED: Rinse mouth. Do not induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do so. Continue rinsing. Immediately call a POISON CENTER. Take off contaminated clothes and wash it before reuse. Absorb spillage to prevent material damage.	IF SWALLOWED: Rinse mouth. Call a POISON CENTER or doctor/physician if you feel unwell. IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing. If eye irritation persists, see a physician. IF ON SKIN: Wash with plenty of water. If skin irritation occurs, get medical advice/attention. Take off contaminated clothing and wash it before reuse.	
Storage	Store in corrosive resistant container. Store in well-ventilated place. Keep container tightly closed.	Not established; follow guidelines in section 7.	
Disposal	Dispose of container in accordance with local/regional/national/international regulations.	Dispose of container in accordance with local/regional/national/international regulations.	

2.3 OTHER PERTINENT DATA ON CHEMICAL AND PHYSICAL HAZARDS:

- May cause severe irritation of the respiratory tract if mists/sprays are inhaled. Ingestion of large quantities
 may cause irritation, ulceration, nausea, vomiting and can be fatal
- Due to the potential corrosive nature of the **Product as Sold**, additional personal protection (e.g., rubber apron) should be worn when in the process of diluting product.

SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

3.1 SUBSTANCES/MIXTURES

COMPONENT	CAS NUMBER	GHS HAZARD CLASSIFICATION FOR COMPONENT	% (w/w)
Phosphoric Acid	7664-38-2	Skin Corrosion (1B)	Proprietary ¹
Water and other components less than 1% in concentration within this solution. The remaining components of this product are not classified as hazardous in their existing concentrations.			

SECTION 4: FIRST AID MEASURES

¹ The exact percentage of composition has been withheld as a trade secret. All relevant physical and health hazards have been declared, in accordance with regulatory requirements.

Limelite Lime & Scale Remover	WAXIE Sanitary Supply	SAFETY DATA SHEET
Product AS SOLD and IN USE DILUTION	Page 2 of 12	February 22, 2016

4.1 DESCRIPTION OF FIRST AID MEASURES

AREA EXPOSED	Product as SOLD	Product at USE DILUTION (<10%)
Eye Contact	Flush with copious amounts of water for 15 minutes. "Roll" eyes during flush. Seek medical attention immediately.	Flush with copious amounts of water for 15 minutes. "Roll" eyes during flush. Seek medical attention if irritation persists.
Skin Contact	Flush area with warm, running water for several minutes. Seek medical attention if irritation persists	Flush area with warm, running water for several minutes. Seek medical attention if irritation persists.
Inhalation	Obtain fresh air.	Obtain fresh air.
Ingestion	If conscious only: Rinse mouth with water. Drink several cups of water. Do not induce vomiting. Contact a Poison Control Center or physician for instructions.	If conscious only: Rinse mouth with water. Drink several cups of water. Do not induce vomiting. Contact a Poison Control Center or physician for instructions.
Other Recommendations	Wash clothing before reuse.	

4.2 MOST IMPORTANT ACUTE AND CHRONIC EXPOSURE SYMPTOMS

• ACUTE HEALTH EFFECTS:

AREA EXPOSED	Product as SOLD	Product at USE DILUTION (<10%)
Eye Contact	Corrosive to eye tissue; contact will cause pain, redness, and tissue damage. Chemical burns and blindness may occur.	Causes serious eye irritation.
Skin Contact	Corrosive to skin tissue; contact will cause pain, redness, and tissue damage. Chemical burns may occur.	Causes mild to moderate skin irritation, depending on duration of contact
Inhalation	Inhalation of sprays, mists may cause coughing, nasal congestion and sore throat.	May causes respiratory tract irritation; symptoms may include coughing and sneezing depending on volume of mist/spray inhaled.
Ingestion	Corrosive and may cause severe and permanent damage to mouth, throat, and stomach. May be fatal if swallowed.	Causes gastrointestinal system irritation; symptoms may include pain, sore throat, nausea and vomiting if large volumes are ingested.
CHRONIC HEALTH EFFECT	S:	
	Product as SOLD	Product at USE DILUTION (<10%)
	Prolonged/repeated contact may cause	None reported.

• TARGET ORGANS:

Product as SOLD	Product at USE DILUTION (<10%)
Skin, eyes.	Skin, eyes.

4.3 INDICATION OF IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED

The following information is for both **Product AS SOLD** and **Product at USE DILUTION.**

- **GENERAL INFORMATION: For all exposures:** In case of accident, or if you feel unwell, seek medical advice immediately. Take this document and a copy of the label to the healthcare professional.
- **RECOMMENDATIONS TO PHYSICIANS:** Treat symptomatically.
- MEDICAL CONDITIONS AGGRAVATED BY OVEREXPOSURE: None reported.

dermatitis.

Limelite Lime & Scale Remover	WAXIE Sanitary Supply	SAFETY DATA SHEET
Product AS SOLD and IN USE DILUTION	Page 3 of 12	February 22, 2016

SECTION 5: FIREFIGHTING MEASURES

Unless stated, information in this section is for both Product as SOLD and Product at USE DILUTION.

5.1 **EXTINGUISHING MEDIA**

- RECOMMENDED FIRE EXTINGUISHING MEDIA: Water Spray, Water Jet, Dry Powder, Foam, Carbon • Dioxide, Halon, or any other.
- UNSUITABLE FIRE EXTINGUISHING MEDIA: None known.

5.2 SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE

NFPA FLAMMABILITY CLASSIFICATION:

Classification **NFPA Rating**

Product as SOLD



Product at USE DILUTION (<10%)



NFPA Classification

UNUSUAL HAZARDS IN FIRE SITUATIONS:

		Product as SOLD	Product at USE DILUTION (<10%
Decomposition		Generates acidic vapors and oxides of phosphorus.	Generates acidic vapors and oxides of phosphorus.
Explosion Sensitivity Mechanical Impact	to	Not applicable.	Not applicable.
Explosion Sensitivity Static Discharge	to	Not applicable.	Not applicable.

5.3 ADVICE FOR FIREFIGHTERS

Self-Contained Breathing Apparatus and full protective equipment for fire response should be worn in any situation. Move containers from fire area if it can be done without risk to personnel. Otherwise, use water spray to keep fire-exposed containers cool. Because this product is a cleaning agent, any equipment that comes in contact with this solution can be rinsed thoroughly with water and then returned to service.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Unless stated, information in this section is for both Product as SOLD and Product at USE DILUTION.

6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT, AND EMERGENCY PROCEDURES

- **RESPONSE TO INCIDENTAL RELEASES:** Personnel who have received basic chemical safety training can generally handle small-scale releases. Gloves and safety glasses must be worn when cleaning-up spills. Use caution during clean-up; contaminated floors and items may be slippery.
- **RESPONSE TO NON-INCIDENTAL RELEASES:** Respond to non-incidental chemical releases of this product (such as the simultaneous destruction of several pallets of this product or release involving 55gallon drum) by clearing the impacted area and contacting appropriate emergency personnel.

In the event of a significant release, and if there is no other hazardous condition in the area, the use of an air-purifying respirator with acid gas cartridge, face-shield, safety glasses, and double gloves (e.g. nitrile over latex gloves), and body protection is recommended if splashes/sprays/mists can be generated during clean-up or the concentration of vapors is high. Use Self-Contained Breathing Apparatus if concentration of oxygen is less than 19.5% or is unknown.

Limelite Lime & Scale Remover	WAXIE Sanitary Supply	SAFETY DATA SHEET
Product AS SOLD and IN USE DILUTION	Page 4 of 12	February 22, 2016

SECTION 6: ACCIDENTAL RELEASE MEASURES (Continued)

RESPONSE PROCEDURES FOR ANY RELEASE: Absorb spilled liquid with polypads or other suitable absorbent materials. If appropriate, neutralize contaminated area and equipment with acid neutralizing agent (e.g., sodium bicarbonate). Rinse contaminated items and area thoroughly. Confirm that neutralization is complete by testing with pH paper.

6.2 **ENVIORNMENTAL PRECAUTIONS**

Avoid response actions that can cause a release of a significant amount of the substance (more than 4, 1-gallon containers) into the environment. Avoid accidental dispersal of spilled material into soil, waterways and sewers.

6.3 METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP

SPILL RESPONSE EQUIPMENT: Polypad or other absorbent material; acid neutralizing agent (e.g., sodium bicarbonate); pH paper.

6.4 **REFERENCES TO OTHER SECTIONS**

- **SECTION 8:** For exposure levels and detailed personal protective equipment recommendations.
- **SECTION 13:** For waste handling guidelines.

SECTION 7: HANDLING AND STORAGE

7.1 PRECAUTIONS FOR SAFE HANDLING

Product as SOLD

- **Hygiene Practices** Keep out of reach of children. Follow good chemical hygiene practices. Do not smoke, drink, eat, or apply cosmetics in the chemical use area. Avoid inhalation of mists and sprays. Use in well-ventilated area. Avoid contact with skin or eyes. Remove contaminated clothing promptly. Clean up spilled product immediately. **Handling Practices**
 - Employees must be appropriately trained to use this product safely as needed. Keep containers closed when not in use.

Product at USE DILUTION (<10%)

Keep out of reach of children. Follow good chemical hygiene practices. Do not smoke, drink, eat, or apply cosmetics in the chemical use area. Avoid inhalation of mists and sprays. Use in well-ventilated area. Avoid contact with skin or eyes. Remove contaminated clothing promptly. Clean up spilled product immediately.

Employees must be appropriately trained to use this product safely as needed. Keep containers closed when not in use.

7.2 **CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES**

	Product as SOLD	Product at USE DILUTION (<10%)
Storage Practices	Ensure all containers are correctly labeled. Store containers away from direct sunlight, sources of intense heat, or where freezing is possible. Store this product away from incompatible chemicals Inspect all incoming containers before storage, to ensure containers are properly labeled and not damaged. Empty containers may contain residual liquid; therefore, empty containers should be handled with care.	Ensure all containers are correctly labeled. Store containers away from direct sunlight, sources of intense heat, or where freezing is possible. Store this product away from incompatible chemicals.
Incompatibilities	See Section 10 (Stability and Reactivity).	See Section 10 (Stability and Reactivity).

Limelite Lime & Scale Remover	WAXIE Sanitary Supply	SAFETY DATA SHEET
Product AS SOLD and IN USE DILUTION	Page 5 of 12	February 22, 2016

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 CONTROL PARAMETERS

• U.S. NATIONAL EXPOSURE LIMITS:


COMPONENT	ACGIH TLV	OSHA PEL	NIOSH REL	OTHER
Phosphoric Acid	1 mg/m ³ (TWA) 3 mg/m ³ (STEL)	1 mg/m ³ (TWA) 3 mg/m ³ (STEL)	1 mg/m ³ (TWA) 3 mg/m ³ (STEL)	NE

BIOLOGICAL OCCUPATIONAL EXPOSURE LIMITS: Not established.

8.2 EXPOSURE CONTROLS

	Product as SOLD	Product at USE DILUTION (<10%)		
Engineering Controls	Use in well-ventilated environment.	Use in well-ventilated environment.		
Respiratory Protection	None needed in normal circumstances of use.	None needed in normal circumstances of use.		
Hand Protection	Neoprene or nitrile gloves are recommended. Ensure gloves are intact prior to use.	Standard chemical-resistant gloves used in janitorial work are recommended.		
Eye Protection	Safety glasses. Face-shields are recommended when splash, sprays, or mists can be generated.	Safety glasses.		
Body Protection	Standard protection used in janitorial service. If splashes or sprays can occur, a rubber apron should be used.	Standard protection used in janitorial service. If splashes or sprays can occur, a rubber apron should be used.		

8.3 PERSONAL PROTECTION SYMBOLS





SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

Appearance
Odor
Odor Threshold
рН
Melting Point/Freezing Point
Initial Boiling Point/Boiling Range
Flash Point
Evaporation Rate (Water = 1)
Flammability
Upper/Lower Explosive Limits
Vapor Pressure
Vapor Density
Relative Density (Density)

Product as SOLD Green liquid. Acrid Not determined. 0.5-2.0 < 0°C (32 °F). >100°C (210 °F). Not applicable. Approx. 1.0. Not applicable. Not applicable. Not determined. Not determined. 1.22 (10.2 lb/gal)

Product at USE DILUTION (<10%)

Colorless to light green. Slight acrid Not determined. 2.0-4.0 Approx. 0°C (32 °F). Approximately100°C (212°F). Not applicable. Approx. 1.0. Not applicable. Not applicable. Not determined. Not determined. Approx. 1.0. (8.34 .b/gal)

Limelite Lime & Scale Remover	WAXIE Sanitary Supply	SAFETY DATA SHEET
Product AS SOLD and IN USE DILUTION	Page 6 of 12	February 22, 2016

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES (Continued)

9.1 INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES (Continued)

Product as SOLD

Completely soluble in water. Not determined.

octanol/water Autoignition Temperature Decomposition Temperature Viscosity

Not applicable. Not determined. Not determined. Product at USE DILUTION (10%)

Completely soluble in water. Not determined.

Not applicable. Not determined. Not determined.

9.2 OTHER INFORMATION

Solubility

- VOC (less water & exempt): Not applicable.
- WEIGHT% VOC: Not applicable.

Partition Coefficient/n-

SECTION 10: STABILITY AND REACTIVITY

Unless stated, information in this section is for both Product as SOLD and Product at USE DILUTION.

10.1 <u>REACTIVITY</u>

• Not reactive under typical conditions of use or handling.

10.2 CHEMICAL STABILITY

• Normally stable under standard temperatures and pressures.

10.3 POSSIBILITY OF HAZARDOUS REACTIONS

- This product is not self-reactive, water-reactive, or air-reactive.
- This product will not undergo hazardous polymerization.

10.4 CONDITIONS TO AVOID

• Avoid contact with incompatible chemicals.

10.5 INCOMPATIBLE MATERIALS

• Strong oxidizing agents, strong bases, water reactive materials, aluminum and sot metals.

10.6 HAZARDOUS DECOMPOSITION PRODUCTS

• Products of thermal decomposition of this product include acidic vapors and oxides of phosphorus.

SECTION 11: TOXICOLOGICAL INFORMATION

Unless stated, information in this section is for both **Product as SOLD** and **Product at USE DILUTION**.


11.1 INFORMATION ON TOXICOLOGICAL EFFECTS

• ACUTE TOXICITY:

• **TOXICOLOGY DATA:** The following data are available for the hazardous components in this product listed in Section 3 (Composition/Information on Ingredients).

PHOSPHORIC ACID:

 LD_{50} (oral, rat) = 1.25 g/kg LD_{50} (dermal, rabbit) = 2730 mg/kg LC_{50} (inhalation, rat) = 50 mg/m³



SECTION 11: TOXICOLOGICAL INFORMATION (Continued)

- DEGREE OF IRRITATION: Causes severe skin burns and eye damage. May cause respiratory irritation.
- SENSITIZATION: The components of this product are not reported to have skin or respiratory sensitization effects.
- **REVIEW OF ACUTE SYMPTOMS AND EFFECTS BY ROUTE OF EXPOSURE:** See Section 2 (Hazards Information) and Section 4 (First-Aid Measures) for additional details.

See Section 4 (First-Aid Measures) for more details.	Product as SOLD	Product at USE DILUTION <10%)
Eyes	May cause moderate to severe eye irritation and chemical burns.	May cause moderate to severe eye irritation and chemical burns, depending on duration of exposure.
Skin	May cause moderate to severe skin irritation, and chemical burns.	May cause moderate to severe skin irritation, and chemical burns.
Inhalation	Causes mild to severe irritation of membranes of nose, mouth, throat.	Causes mild to severe irritation of membranes of nose, mouth, throat.
Ingestion	Causes severe irritation and chemical burns of gastrointestinal system. May be fatal if swallowed.	Causes severe irritation and chemical burns of gastrointestinal system. May be fatal if swallowed.

• CHRONIC TOXICITY:

- **CARCINOGENICITY STATUS:** Not applicable.
- **REPRODUCTIVE TOXICITY INFORMATION:** The components of this product are not reported to cause reproductive effects under typical circumstances of exposure.
- **MUTAGENIC EFFECTS** The components of this product are not reported to cause mutagenic effects under typical circumstances of exposure.
- SPECIFIC TARGET ORGAN TOXICITY SINGLE EXPOSURE: Not applicable.
- **SPECIFIC TARGET ORGAN TOXICITY REPEATED EXPOSURE:** Not applicable.
- **ASPIRATION HAZARD:** Not applicable.
- OTHER INFORMATION
 - TOXICOLOGICALLY SYNERGISTIC PRODUCTS: None known.
 - **ADDITIONAL TOXICOLOGY:** Not applicable.

SECTION 12: ECOLOGICAL INFORMATION

Unless stated, information in this section is for both Product as SOLD and Product at USE DILUTION.

12.1 <u>TOXICITY</u>

• Based on available data, this product is anticipated to be harmful or fatal to contaminated terrestrial plants or animals.

SECTION 12: ECOLOGICAL INFORMATION (Continued)

• The following aquatic toxicity data are available for components of this product:

PHOSPHORIC ACID

 $\begin{array}{l} LC_{50} \mbox{ fishes = 138 mg/l, (96 Hours)} \\ LC_{50} \mbox{ other aquatic organisms = 100 - 1000 mg/l (96 hours)} \\ LC_{50} \mbox{ fish = 100 - 1000 mg/l} \\ LC_{50} \mbox{ other aquatic organisms = 240 mg/l} \end{array}$

TLM fish = 138 ppm (24 hours, *Gambusia affinis*) Threshold limit other aquatic organisms = 100 - 1000 (96 hours, Protozoa) Threshold limit other aquatic organisms = 240 mg/L

12.2 PERSISTENCE AND DEGRADABILITY

• When released into the soil, the components of this product are expected to biodegrade, dissipate in soils via oxidation, or otherwise chemically degrade or photo-decompose via solar radiation.

12.3 BIOACCUMULATIVE POTENTIAL

• This product is not anticipated to bioaccumulate significantly.

12.4 MOBILITY IN SOIL

• It is expected this product will have small mobility in soil. Some of the components may get into the soil and, ultimately, the ground water. Product spreads on the water surface.

12.5 OTHER ADVERSE EFFECTS

• None reported.

SECTION 13: DISPOSAL CONSIDERATION

13.1 WASTE TREATMENT METHODS

Product as SOLD

Dispose of in accordance with local, State and Federal regulations.

Product at USE DILUTION

Dispose of unused product in accordance with local, State and Federal regulations.

13.2 DISPOSAL CONSIDERATIONS

• EPA RCRA WASTE CODE: D002; applicable to wastes consisting only of this product.

SECTION 14: TRANSPORT INFORMATION

14.1 DANGEROUS GOODS BASIC DESCRIPTION AND OTHER TRANSPORT INFORMATION

Information in this section is for Product as SOLD.

DEPARTMENT OF TRANSPORTATION HAZARDOUS MATERIALS SHIPPING REGULATIONS:

UN/NA Number	Proper Shipping Name	Packing Group	Hazard Class	Label	North American Emergency Response Guide #	Marine Pollutant Status
UN1760	Corrosive Liquids, n.o.s. (Contains Phosphoric Acid)	III	8	Corrosive	154	Not applicable.

- Limited Quantity Exceptions [49 CFR 173.154(b)(1)]: Limited quantities for Class 8, Packing Group III
 materials have inner packagings not over 5.0 L [1.3 gal] (liquids) net capacity each, packed in strong
 outer packaging.
- **CANADIAN TRANSPORTATION INFORMATION**: This product is regulated by Transport Canada as dangerous goods under Canadian transportation standards. Refer to above information.

SECTION 14: TRANSPORT INFORMATION (Continued)

- **CANADIAN TRANSPORTATION INFORMATION**: This product is regulated by Transport Canada as dangerous goods under Canadian transportation standards. Refer to above information.
- **IATA DESIGNATION**: This product is regulated as dangerous goods by the International Air Transport Association. Use the following information:

Proper Shipping Name Passenger and Cargo Aircraft			Cargo Aircraft Only			
	Limited Quantity		Packing	Max. Qty	Packing	Max. Qty per
	Packing Instruction	Max. Qty per PKG	Instruction per PKG		Instruction	PKG
Corrosive liquid, n.o.s. (phosphoric acid)	Y841	1L	852	5L	856	60L

• **IMO DESIGNATION**: This product is regulated as dangerous goods by the International Maritime Organization. Use the following information:

Proper Shipping Name	Limited and Exc Provis		Packing		EmS
	Limited Quantities	Excepted Quantities	Instructions	Provisions	
Corrosive liquid, n.o.s. (phosphoric acid)	1L	E1	P001, LP01		FA-SB

14.2: ENVIRONMENTAL HAZARDS

• None described, as related to transportation.

14.3 SPECIAL PRECAUTIONS FOR USERS

• Not applicable.

14.4 TRANSPORT IN BULK

• Not applicable.

SECTION 15: REGULATORY INFORMATION

15.1 SAFETY, HEALTH, AND ENVIRONMENTAL REGULATIONS SPECIFIC FOR THE PRODUCT

- OTHER IMPORTANT U.S. REGULATIONS
 - **U.S. SARA THRESHOLD PLANNING QUANTITY**: Not applicable to Hydrochloric Acid in this concentration.
 - U.S. SARA HAZARD CATEGORIES (SECTION 311/312, 40 CFR 370-21): ACUTE: Yes; CHRONIC: Yes; FIRE: No; REACTIVE: No; SUDDEN RELEASE: No
 - U.S. CERCLA REPORTABLE QUANTITY (RQ): Phosphoric Acid = 5000 lb (2270 mg/kg)
 - U.S. TSCA INVENTORY STATUS: All components of this product are listed on the TSCA Inventory.
 - U.S. SARA 313: Not subject to the reporting requirements of SARA Title III, Section 313.
 - CALIFORNIA SAFE DRINKING WATER ACT (PROPOSITION 65) STATUS: Not applicable.
- INTERNATIONAL REGULATIONS
 - **CANADIAN REGULATORY STATUS:** The **PRODUCT as SOLD** is classified as hazardous under Canadian Hazardous Products Regulations. The SDS contains all required information.
 - WHMIS 2015: See Section 2.
 - WHMIS 1988: It is classified as E –Corrosive Material. See symbol to right.



- CANADIAN DSL/NDSL INVENTORY STATUS: Components are listed or exempted.
- CANADIAN ENVIRONMENTAL PROTECTION ACT (CEPA) PRIORITY SUBSTANCES LISTS: No component is listed.

Limelite Lime & Scale Remover	WAXIE Sanitary Supply	SAFETY DATA SHEET
Product AS SOLD and IN USE DILUTION	Page 10 of 12	February 22, 2016

SECTION 16: OTHER INFORMATION

16.1 INDICATION OF CHANGE

- DATE OF REVISION: February 22, 2016
- SUPERCEDES: January 12, 2015
- CHANGE INDICATED: Update of OSHA Hazard Communication Standard (29 CFR 1910.1200).

16.2 KEY LITERATURE REFERENCES AND SOURCES FOR DATA

- TOXNET <u>http://toxnet.nlm.nih.gov/</u>
- European Chemicals Inventory Classification and Listing: http://echa.europa.eu

16.3 HAZARDOUS MATERIALS CLASSIFICATION SYSTEM

Product as SOLD		Product at USE DILUTION			
Health	3	HMIS Personal Protective	Health	2	HMIS Personal Protective
Flammability	0	Situations: C - Safety	Flammability	0	Equipment Rating: Occupational Use situations: B
Physical Hazard	0		Physical Hazard	0	 Safety glasses and gloves. C – Rubber apron should be
Protective Equipment	C/D	body protection suitable to specific circumstances of use should be worn. D - Face-shield should be added if splashes/sprays can occur.	Protective Equipment	B/C	added if splashes/sprays can occur.

16.4 DISCLAIMER

WAXIE Sanitary Supply makes no warranty, representation or guarantee as to the accuracy, sufficiency or completeness of the material set forth herein. It is the user's responsibility to determine the safety, toxicity and suitability of their own use, handling and disposal of this product. Since actual use by others is beyond our control, no warranty, expressed or implied, is made by WAXIE Sanitary Supply as to the effects of such use, the results to be obtained or the safety and toxicity of this product, nor does WAXIE Sanitary Supply assume any liability arising out of the use by others of this product referred to herein. The data in this SDS relates only to the specific material designated herein and does not relate to use in combination with any other material or in any process. WAXIE Sanitary Supply does not recommend blending this product with any other chemicals. All information, recommendations and data contained herein concerning this product are based upon information available at the time of writing from recognized technical sources.

SECTION 16: OTHER INFORMATION (Continued)

16.4: ABBREVIATIONS AND ACRONYMS

ALL SECTIONS: <u>OSHA</u>: U.S. Federal Occupational Safety and Health Administration. <u>WHMIS</u>: Canadian Workplace Hazardous Materials Standard. <u>GHS</u>: Globally Harmonized System of Classification of Chemical Substances.

SECTION 3: <u>CAS Number</u>: Chemical Abstract Service Number, which is used by the American chemical Society to uniquely identify a chemical.

SECTION 5: <u>NFPA</u>: National Fire Protection Association. <u>NFPA</u> <u>FLAMMABILITY CLASSIFICATION</u>: The NFPA uses the flash point (FI.P.) and boiling point (BP) to classify flammable or combustible liquids. Class IA: FI.P. below 73°F and BP below 100°F. Class IB: FI.P. below 73°F and BP at or above 100°F. Class IC: :FI.P. at or above 73°F and BP at or above 100°F. Class III: : FI.P. at or above 73°F and BP at or above 100°F. Class III: : FI.P. at or above 73°F. Class IIIB: FI.P. at or above 140°F and below 200°F. Class IIIB: FI.P. at or above 200°F. <u>NFPA HAZARDOUS MATERIALS RATING</u>: This is a rating system used to summarize physical and health hazards to firefighters. 0 = No Significant Hazard. 1 = Slight Hazard. 2 = Moderate Hazard. 3 = Severe Hazard. 4 = Extreme Hazard.

SECTION 8: <u>NE</u>: Not established. <u>ACGIH</u>: American Conference of Government Industrial Hygienists; <u>TWA</u>: Time-Weighted Average (over an 8-hour work day); <u>STEL</u>: Short-Term Exposure Limit (15 minute average, no more than 4-times daily and each exposure separated by one-hour minimally); <u>C</u>: Ceiling Limit (concentration not to be exceeded in a work environment). <u>PEL</u>: Permissible Exposure Limit. <u>NIOSH</u>: National Institute of Occupational Safety and Health; <u>REL</u>: Recommended Exposure Limit. <u>ppm</u>: Parts per Million. <u>mg/m</u>²: Milligrams per cubic meter. <u>mppcf</u>: Millions of Particles per Cubic Foot. <u>BEI</u>: Biological Exposure Limit.

SECTION 9: <u>pH</u>: Scale (0 to 14) used to rate the acidity or alkalinity of aqueous solutions. For example, a pH value of 0 indicates a strongly acidic solution, pH of 7 indicates a neutral solution, and a pH value of 14 indicates an extremely basic solution. <u>FLASH POINT</u>: Temperature at which a liquid generates enough flammable vapors so that ignition may occur. <u>AUTOIGNITION TEMPERATURE</u>: Temperature at which spontaneous ignition occurs. <u>LOWER EXPLOSIVE LIMIT (LEL)</u>: The minimal concentration of flammable vapors in air which will sustain ignition. <u>UPPER EXPLOSIVE LIMIT (UEL)</u>: The maximum concentration of flammable vapors in air which will sustain ignition. <u>VOC</u>: Volatile Organic Compound.

SECTION 11: CARCINOGENICITY STATUS: NTP: National Toxicology Program. IARC: International Agency for Research on Cancer. REPRODUCTIVE TOXICITY INFORMATION: Mutagen: Substance capable of causing chromosomal damage to cells. Embryotoxin: Substance capable of damaging the developing embryo in an overexposed female. Teratogen: Substance capable of damaging the developing fetus in an overexposed female. Reproductive toxin: Substance capable of adversely affecting male or female reproductive organs or functions. TOXICOLOGY DATA: LDxxor LCxx: The Lethal Dose or Lethal Concentration of a substance which will be fatal to a given percentage (xx) of exposed test animals by the designate route of administration. This value is used to access the toxicity of chemical substances to humans. TDxxor TCxx: The Toxic Dose or Toxic Concentration of a substance which will cause an adverse effect to a given percentage (xx) of exposed test animals by the designate route of administration.

SECTION 12: <u>EC50</u>: Effect Concentration (on 50% of study group); <u>BOD</u>: Biological Oxygen Demand. <u>COD</u>: Chemical Oxygen Demand. <u>ThOD</u>: Theoretical Oxygen Demand. <u>TLM</u>: Median Tolerance Limit.

SECTION 13: <u>RCRA</u>: Resource Conservation and Recovery Act. The regulations promulgated under this act under Act are found in 40 CFR, Sections 260 ff, and define the requirements of hazardous waste generation, transport, treatment, storage, and disposal. <u>EPA</u> <u>RCRA Waste Codes</u>: Defined in 40 CFR Section 261.

SECTION 15: <u>CERCLA</u>: Comprehensive Environmental Response Compensation and Liability Act (a.k.a. "Superfund") and <u>SARA</u>: (Superfund Amendment and Reauthorization Act). The regulations promulgated under this Act are located under 40 CFR 300 ff. and provide "community right-to-know" requirements. <u>TSCA</u>: Toxic Substances Control Act: Rules regulating the manufacture and sale of chemicals found in 40 CFR 700-766. <u>DSL/NDSL</u>: Canadian Domestic Substances and Non-Domestic Substances Lists.

SECTION 16: <u>HAZARDOUS MATERIALS IDENTIFICATION</u> <u>SYSTEM RATING</u>: This is a rating system used by industry to summarize physical and health hazards to chemical users and was originally developed by the National Paint and Coating Association. 0 = No Significant Hazard. 1 = Slight Hazard. 2 = Moderate Hazard. 3 = Severe Hazard. 4 = Extreme Hazard